



Glass shields against heat and cold, noise and light and dirt and humidity. However, the sensitive nature of the glass relative to processing, transit and installation damage make the protection of such a surface essential. Shock, punches, scratching, dirt contamination and pressure can damage or destroy the primary surface of the glass.

Special surface protection films designed by POLIFILM are used for optical applications as well as construction purposes. For coated glass, POLIFILM has developed a unique assortment of product solutions responding to a market need for high UV stability, maximum clarity and extensive weather durability.

POLIFILM also offers printed films to communicate brand image that can specify processing, installation and removal parameters.

Wide product assortment for the protection of glass.

Ideal for optical applications and construction purposes.

Prevents damage and contamination of valuable surfaces.



# AT A GLANCE GLASS APPLICATION

AN ASSORTMENT OF OUR MOST COMMONLY USED GRADES IN THE GLASS MARKET

Product Code	Nominal Thickness (mil/µm)	Color	UV Resistant	Nominal Adhesion oz/in width N/cm width	Surface Type/Application
2005	1.8/46	BL, CL, PK	No	0.6 0.07	Smooth Glass
2072	1.9/48	CL	No	7.7 0.84	Textured Glass
3018CL	2.6/66	CL, CLV	CL - No CLV - 6 months	2.3 0.25	Coated Smooth Glass
3035	2.6/66	CLV	6 months	5.7 0.62	Semi-Textured Glass

**Standard Products:** POLIFILM offers a full line of different thicknesses and adhesion levels. If you do not find the product required, or need assistance to determine which POLIFILM product is right for your application, please contact your sales representative.

Application Recommendations: The performance of all adhesive products is affected by many factors – heat, humidity, type of substrate, texture, lubricants used and application technique. POLIFILM's suggestions and recommendations concerning the use and application of our products are based on laboratory tests that we believe are reliable. However, the purchaser must test the suitability of our products for their intended use under their own operating conditions. POLIFILM assumes no liability for claims beyond the replacement value of any defective products and is in no way liable for consequential or incidental damages. It is the customer's responsibility for final approval of all products. All adhesion data was obtained on PSTC (bright annealed stainless steel). Only products designed for UV exposure should be used outdoors or stored in the sun (inside or outside).

2 POLIFILM PROTECTION 3

### STAYING CLOSE.

## WORLDWIDE AT YOUR SERVICE.

Surface Protection solutions where you need them, when you need them, with consistently reliable service and excellent quality standards: that is our customer promise. As part of the family run POLIFILM Group, one of the leading manufacturers of polyethylene film solutions, we have a global network of production sites, sales offices, service and logistics centers and trusted distribution partners. We can therefore combine rapid response at a local level, with the flexibility of a global player backed by a reliable family business.





POLIFILM stands for individual solutions. As we deal with today's complex challenges, we are doing our utmost for our customers by selecting from a range of more than 500 products in order to choose the most suitable solution.



#### **PRODUCTION LOCATIONS**

Germany France Italy Israel

Brazil China USA

#### DISTRIBUTION LOCATIONS

Germany France United Kingdom Italy Spain Israel

China Mexico South Africa Turkey USA Australia

#### **GLOBAL DISTRIBUTION** PARTNER NETWORK

More than 20 distribution partners worldwide

